according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Saremco print DENTURETEC

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safe	<u>ty data sheet</u>	
Company name:	Saremco Dental AG	
Street:	Gewerbestrasse 4	
Place:	CH-9445 Rebstein	
Telephone:	+41 71 775 80 90	Telefax: +41 71 775 80 99
e-mail:	info@saremco.ch	
Contact person:	Dr. Christoph Evers	Telephone: +41 71 775 80 60
e-mail:	Christoph.evers@saremco.ch	
Internet:	www.saremco.ch	
Responsible Department:	Vigilance	
1.4. Emergency telephone	CH: 145	
number:	Ausland: +41 44 251 51 51	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

Warning

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Aliphatic urethane dimethacrylate BisEMA

Triethyleneglycoldimethacrylate

Signal word:

Pictograms:



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 2 of 8

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash mit Wasser und Seife thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see vorne on this label).
P332	If skin irritation occurs:
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to Restmüll.

Labelling of packages where the contents do not exceed 125 ml

Signal word:

Pictograms:



Hazard statements

H317

Precautionary statements

P261-P272-P280-P302+P352-P321-P333+P313-P362+P364-P501

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 3 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
72869-86-4	Aliphatic urethane dimethacrylate			25 - < 50 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
41637-38-1	BisEMA			25 - < 50 %
	246-263-7			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1, STOT SE 3; H315 H319 H317 H3	35	
109-16-0	Triethyleneglycoldimethacrylate			1 - < 5 %
	203-652-6			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	; H315 H319 H335		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 4 of 8

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 5 of 8

SECTION 9: Physical and chemical properties

. Information on basic physical and	chemical properties	
Physical state:	viscous	
Colour:		
Odour:	characteristic	
pH-Value:		not determined
Changes in the physical state		
Melting point:		not determined
Initial boiling point and boiling range:		150 °C
Flash point:		110 °C
Flammability		
Solid:		not determined
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature		
Solid:		not determined
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties Not oxidizing.		
Vapour pressure:		not determined
Density:		not determined
Water solubility:		insoluble
Solubility in other solvents not determined		
Partition coefficient:		not determined
Vapour density:		not determined
Evaporation rate:		not determined
2. Other information		
Solid content:		not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Sensitivity to light.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

UV-radiation/sunlight.

10.5. Incompatible materials

No information available.

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC

Revision date: 01.03.2020

Product code: D300155

Page 6 of 8

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	Aliphatic urethane dimethacrylate				
		LD50 >5000 mg/kg	Ratte		
		LD50 >5000 mg/kg	Ratte		
109-16-0	Triethyleneglycoldimethacrylate				
	oral	LD50 > 2000 mg/kg	literature value		

Additional information on tests

This mixture is classified as not hazardous according to 1999/45/EC.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

according to Regulation (EC) No 1907/2006

Saremco	print DENTURETEC
• • • • • • • • •	

Revision date: 01.03.2020

Product code: D300155

Page 7 of 8

Other applicable information (land transport) No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

Other applicable information (marine transport) No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
2004/42/EC (VOC):	4.9 %
Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment
National regulatory information	
Water contaminating class (D):	3 - highly water contaminating
15.2. Chemical safety assessment	
Chamical asfaty assassments for sub-	teners in this with we were not comind out

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
11515	Causes skin initation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

according to Regulation (EC) No 1907/2006

Saremco print DENTURETEC		
Revision date: 01.03.2020	Product code: D300155	Page 8 of 8
H335May cause respiratory irritation.H411Toxic to aquatic life with long lasting effects.		
Further Information @N16.P0000001 @N16.P0000002		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)